## LR 370 W LITE







650

Color: White Panel: LITE

- LED backlit control panel
- Temperature display resolution 0,1°C
- Audible and visual alarms
- Dry contact for alarms signal remoting

| TECHNICAL FEATURES                 |                                    |  |  |
|------------------------------------|------------------------------------|--|--|
| Product Code                       | ABD700L                            |  |  |
| Temperature                        | 0°C / +15°C                        |  |  |
| Refrigeration Type                 | Forced air                         |  |  |
| Defrost Type                       | Automatic, with heating resistance |  |  |
| Condensate Evaporation             | Automatic                          |  |  |
| Refrigerant Gas                    | R290                               |  |  |
| Climatic Class                     | +16°C / +43°C (T)                  |  |  |
| External Dimensions (W x D x H mm) | 600 x 650 x 1950                   |  |  |

## **LR 370 W LITE**



| ELECTRICAL DATA        |              |  |
|------------------------|--------------|--|
| Power Supply (V/ph/Hz) | 220-230/1/50 |  |
| Power Plug             | Type F       |  |

| STRUCTURAL FEATURES               |  |  |  |
|-----------------------------------|--|--|--|
| Structure                         | Upright                                      |  |  |
| External Material                 | Anti-bacterial coated steel white colour     |  |  |
| Internal Material                 | Stainless steel 18/10 AISI 304               |  |  |
| Insulation Thickness (mm)         | 50   |  |  |
| Insulated Door                    | Yes  |  |  |
| Door Reversibility                | Yes  |  |  |
| Automatic Door Closure            | Yes  |  |  |
| Shelves Number                    | 3  |  |  |
| Shelf Material                    | Wire steel with white colour plastic coating |  |  |
| Shelves Dimensions (W x D mm)     | 460 x 470                                    |  |  |
| Shelf Adjustment Step Range (mm)  | 100  |  |  |
| Maximum Shelf Quantity            | -  |  |  |
| Drawers with extractable slides   | Optional                                     |  |  |
| Drawer Adjustment Step Range (mm) | 100  |  |  |

| CONTROL PANEL                         |                     |  |
|---------------------------------------|---------------------|--|
| Display Type                          | LED                 |  |
| Access Password                       | No                  |  |
| Probe Type                            | Nr. 2 NTC           |  |
| Alarm Signaling                       | Acoustic and visual |  |
| Alarm Indications                     | Codes               |  |
| Adjustable High/Low Temperature Alarm | Yes                 |  |

## **LR 370 W LITE**



| CONTROL PANEL                    |          |  |
|----------------------------------|----------|--|
| Adjustable Door Open Alarm       | Yes      |  |
| Power Loss Alarm                 | Yes      |  |
| Probe Fault Alarm                | Yes      |  |
| Acoustic Alarm Silencing Options | Yes      |  |
| Calibration                      | Yes      |  |
| Alarm Memory                     | 10       |  |
| Dry Contact                      | Yes (NC) |  |